

Art Unit: 1648

SUUPLEMNTAL EXAMINER'S AMENDMENT

The current supplemental examiner's amendment is to correct the typographic error inadvertent occurred in the previous examiner's amendment. The rest of the previous examiner's amendment remained same.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Danial Scolnick on May 16, 2011.

The application has been amended as follows:

Claim 5 (current amended) In line 1, please delete "claim 4" before "wherein" and insert -
-- - claim 1 ---

Please cancel claims 11-12 in addition to canceled 4, 7, 10, 22-23, 25-26 and 33-34 in the previous examiner's amendment.

Claims 1-2, 5-6 and 13-14 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BAO LI whose telephone number is (571)272-0904. The examiner can normally be reached on 6:30 am to 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zachariah Lucas can be reached on 571-272-0905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1648

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BAO LI/

Primary Examiner, Art Unit 1648